

## LESEN PENSIJILAN BARANGAN

*Product Certification Licence*



SIRIM

**SIRIM QAS International Sdn. Bhd.** dengan ini menganugerahkan kepada  
*SIRIM QAS International Sdn. Bhd. hereby grants to*

**FIW STEEL SDN. BHD.**  
**NO. 3 JALAN KELULI SATU**  
**KAWASAN PERINDUSTRIAN BUKIT RAJA SELATAN**  
**40000, SHAH ALAM**  
**SELANGOR, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan**  
*a licence to use the Certification Mark on*

**HOT-DIP ZINC AND ZINC ALLOYED WITH ALUMINIUM AND MAGNESIUM**  
**STEEL SHEET AND STRIP**

**Please refer to detail in the SCHEDULE**

**sebagai mematuhi keperluan**  
*as complying with*  
**AS 1397 : 2011**



*Khalidah Mustafa*

**Khalidah Mustafa**  
Pengarah Urusan  
*Managing Director*  
SIRIM QAS International Sdn. Bhd.

SIRIM QAS International Sdn. Bhd.  
(No. Syarikat 410334-X)  
1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 60-3-55446400  
Faks : 60-3-55446466

<http://www.sirim.my>  
<http://www.malaysian-certified.my>

**Tarikh Mula Pensijilan : 06 May 2016**

*Certified Since*

**Sah Sehingga : 06 May 2017**

*Valid Until*

**Tarikh Dikeluarkan : 04 August 2016**

*Issue Date*

**No Siri : 025423**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*

## SCHEDULE

### FIW STEEL SDN. BHD.



Brand : GALMAXX, GALMAXX PREMIUM, GALMAXX ECO  
Model : STRUCTURAL GRADE = G250, G300, G350, G450  
Rating : COATING CLASS = Z100, Z200, Z275, Z350, Z450  
Type : COATING TYPE = ZINC COATING (Z);

SURFACE FINISH = REGULAR SPANGLE (R); SKIN PASSED (S)

Size : BASE METAL THICKNESS (mm) = 0.25 TO 1.55; MAXIMUM WIDTH (mm) = 1250

Brand : GALMAXX, GALMAXX PREMIUM, GALMAXX ECO  
Model : STRUCTURAL GRADE = G500  
Rating : COATING CLASS = Z100, Z200, Z275, Z350, Z450  
Type : COATING TYPE = ZINC COATING (Z);

SURFACE FINISH = REGULAR SPANGLE (R); SKIN PASSED (S)

Size : BASE METAL THICKNESS (mm) = 0.176 TO 1.55; MAXIMUM WIDTH (mm) = 1250

Brand : GALMAXX, GALMAXX PREMIUM, GALMAXX ECO  
Model : STRUCTURAL GRADE = G550  
Rating : COATING CLASS = Z100, Z200, Z275, Z350, Z450  
Type : COATING TYPE = ZINC COATING (Z);

SURFACE FINISH = REGULAR SPANGLE (R); SKIN PASSED (S)

Size : BASE METAL THICKNESS (mm) = 0.13 TO 1.55; MAXIMUM WIDTH (mm) = 1250

Brand : GALMAXX, GALMAXX PREMIUM, GALMAXX ECO  
Model : FORMABILITY GRADE = G1  
Rating : COATING CLASS = Z100, Z200, Z275, Z350, Z450  
Type : COATING TYPE = ZINC COATING (Z);

SURFACE FINISH = REGULAR SPANGLE (R); SKIN PASSED (S)

Size : BASE METAL THICKNESS (mm) = 0.23 TO 1.55; MAXIMUM WIDTH (mm) = 1250

Brand : GALMAXX ALPHA  
Model : STRUCTURAL GRADE = G250, G300, G350, G450  
Rating : COATING CLASS = ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450  
Type : COATING TYPE = ZINC/ALUMINIUM COATING (ZA);

SURFACE FINISH = REGULAR SPANGLE (R); SKIN PASSED (S)

Size : BASE METAL THICKNESS (mm) = 0.25 TO 1.55; MAXIMUM WIDTH (mm) = 1250

SIRIM QAS International Sdn. Bhd.  
(No. Syarikat 410334-X)  
1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 60-3-55446400  
Faks : 60-3-55446466

<http://www.sirim.my>  
<http://www.malaysian-certified.my>

Tarikh Mula Pensijilan : **06 May 2016**

*Certified Since*

Sah Sehingga : **06 May 2017**

*Valid Until*

Tarikh Dikeluarkan : **04 August 2016**

*Issue Date*

No Siri : **025423**

*Serial No*

Lesen Ini dlanugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.

*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*

## SCHEDULE

### FIW STEEL SDN. BHD.



SIRIM

Brand : GALMAXX ALPHA  
 Model : STRUCTURAL GRADE = G500  
 Rating : COATING CLASS = ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450  
 Type : COATING TYPE = ZINC/ALUMINIUM COATING (ZA);

Size : SURFACE FINISH = REGULAR SPANGLE (R); SKIN PASSED (S)  
 : BASE METAL THICKNESS (mm) = 0.176 TO 1.55; MAXIMUM WIDTH (mm) = 1250

Brand : GALMAXX ALPHA  
 Model : STRUCTURAL GRADE = G550  
 Rating : COATING CLASS = ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450  
 Type : COATING TYPE = ZINC/ALUMINIUM COATING (ZA);

Size : SURFACE FINISH = REGULAR SPANGLE (R); SKIN PASSED (S)  
 : BASE METAL THICKNESS (mm) = 0.13 TO 1.55; MAXIMUM WIDTH (mm) = 1250

Brand : GALMAXX ALPHA  
 Model : FORMABILITY GRADE = G1  
 Rating : COATING CLASS = ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450  
 Type : COATING TYPE = ZINC/ALUMINIUM COATING (ZA);

Size : SURFACE FINISH = REGULAR SPANGLE (R); SKIN PASSED (S)  
 : BASE METAL THICKNESS (mm) = 0.23 TO 1.55; MAXIMUM WIDTH (mm) = 1250

---

*End of page*

---