

PERAKUAN PEMATUHAN STANDARD (BAHAN BINAAN)

Adalah dengan ini Pengilang/Pengeluar yang dinyatakan di bawah ini telah mengeluarkan bahan binaan yang diperakui oleh Lembaga mengikut Bahagian VIIA Akta Lembaga Pembangunan Industri Pembinaan Malaysia (Pindaan 2011). Perakuan ini adalah tertakluk kepada syarat-syarat yang telah ditetapkan. Perakuan ini mengesahkan bahawa bahan atau produk binaan yang dinyatakan di bawah telah diperakukan

No. Pendaftaran : 1170301SL0171
Nama Pengilang / Pengeluar : FIW STEEL SDN BHD
Alamat Kilang Berdaftar : NO. 3, JALAN KELULI SATU,
KAWASAN PERINDUSTRIAN BUKIT RAJA SELATAN SHAH
ALAM
40000 KLANG
SELANGOR

Kategori dan Jenis produk bahan binaan :
(Rujuk Lampiran A untuk butiran terperinci)

IRON AND STEEL PRODUCTS

- Hot Dipped Zinc Coated Sheet And Strip

Tarikh Mula Berkuatkuasa : 01-03-2017
Tarikh Tamat Tempoh Perakuan : 28-02-2018

Perakuan ini hendaklah diperbaharui selewat-lewatnya 30 hari sebelum tarikh tamat tempoh perakuan

Nota: Perakuan dikeluarkan setelah Lembaga menjalankan pemeriksaan dan pengesahan ke atas kilang dan produk-produk yang terkandung di dalam Pensijilan Produk (Product Certification) yang dikeluarkan oleh Badan Pensijilan yang diiktiraf. Pihak pengeluar/pengilang adalah bertanggungjawab untuk memastikan Pensijilan Produk (Product Certificate) sentiasa dalam tempoh sahlaku.




SR. MOHD ZAID BIN ZAKARIA
PENGARAH
CIDB NEGERI SELANGOR
b.p Ketua Eksekutif



No. Pendaftaran : 1170301SL0171
 No. Perakuan : A001078
 No. Pengilang / Pengeluar : FIW STEEL SDN BHD

Kategori	Jenis / Saiz	Jenama	Standard
IRON AND STEEL PRODUCTS	Hot Dipped Zinc Coated Sheet And Strip G250/ BASE METAL THICKNESS (MM): 0.25 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450	Galmaxx, Galmaxx Premium, Galmaxx Eco	AS 1397:2011
	Hot Dipped Zinc Coated Sheet And Strip G300/ BASE METAL THICKNESS (MM): 0.25 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450	Galmaxx, Galmaxx Premium, Galmaxx Eco	AS 1397:2011
	Hot Dipped Zinc Coated Sheet And Strip G350/ BASE METAL THICKNESS (MM): 0.25 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450	Galmaxx, Galmaxx Premium, Galmaxx Eco	AS 1397:2011
	Hot Dipped Zinc Coated Sheet And Strip G450/ BASE METAL THICKNESS (MM): 0.25 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450	Galmaxx, Galmaxx Premium, Galmaxx Eco	AS 1397:2011
	Hot Dipped Zinc Coated Sheet And Strip G500/ BASE METAL THICKNESS (MM): 0.176 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450	Galmaxx, Galmaxx Premium, Galmaxx Eco	AS 1397:2011



MOHD ZAID ZAKARIA
 Pengarah
 CIDB Negeri Selangor

Kategori	Jenis / Saiz	Jenama	Standard
	Hot Dipped Zinc Coated Sheet And Strip G550/ BASE METAL THICKNESS (MM): 0.13 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450	Galmaxx, Galmaxx Premium, Galmaxx Eco	AS 1397:2011
	Hot Dipped Zinc Coated Sheet And Strip COMMERCIAL GRADES = G1 / BASE METAL THICKNESS (MM): 0.23 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450	Galmaxx, Galmaxx Premium, Galmaxx Eco	AS 1397:2011
	Hot Dipped Zinc Coated Sheet And Strip G250/ BASE METAL THICKNESS (MM): 0.25 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (ZA) = ZA90,ZA135,ZA180,ZA225,ZA2 75,ZA350,ZA450	GalMaxx Alpha	AS 1397:2011
	Hot Dipped Zinc Coated Sheet And Strip G300/ BASE METAL THICKNESS (MM): 0.25 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (ZA) = ZA90,ZA135,ZA180,ZA225,ZA2 75,ZA350,ZA450	GalMaxx Alpha	AS 1397:2011
	Hot Dipped Zinc Coated Sheet And Strip G350/ BASE METAL THICKNESS (MM): 0.25 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (ZA) = ZA90,ZA135,ZA180,ZA225,ZA2 75,ZA350,ZA450	GalMaxx Alpha	AS 1397:2011
	Hot Dipped Zinc Coated Sheet And Strip G450/ BASE METAL THICKNESS (MM): 0.25 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (ZA) = ZA90,ZA135,ZA180,ZA225,ZA2 75,ZA350,ZA450	GalMaxx Alpha	AS 1397:2011



MOHD ZAID ZAKARIA
Pengarah
CIDB Negeri Selangor

Kategori	Jenis / Saiz	Jenama	Standard
	Hot Dipped Zinc Coated Sheet And Strip G500/ BASE METAL THICKNESS (MM): 0.176 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (ZA) = ZA90,ZA135,ZA180,ZA225,ZA2 75,ZA350,ZA450	GalMaxx Alpha	AS 1397:2011
	Hot Dipped Zinc Coated Sheet And Strip G550/ BASE METAL THICKNESS (MM): 0.13 TO 1.55; MAX. WIDTH (MM): 1250; COATING CLASS (ZA) = ZA90,ZA135,ZA180,ZA225,ZA2 75,ZA350,ZA450	GalMaxx Alpha	AS 1397:2011
	Hot Dipped Zinc Coated Sheet And Strip COMMERCIAL GRADES = G1 / BASE METAL THICKNESS (MM): 0.23 TO 1.55; MAX WIDTH (MM): 1250; COATING GLASS (ZA) = ZA90,ZA135,ZA180,ZA225,ZA2 75,ZA350,ZA450	GalMaxx Alpha	AS 1397:2011



MOHD ZAID ZAKARIA
Pengarah
CIDB Negeri Selangor