

LESEN PENSIJILAN EKO-LABEL

Eco-Label Licence



**SIRIM
ECO-LABEL**

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**FIW STEEL SDN. BHD.
NO. 3 JALAN KELULI SATU
KAWASAN PERINDUSTRIAN BUKIT RAJA SELATAN
40000, SHAH ALAM
SELANGOR, MALAYSIA**

**Lesen untuk menggunakan Tanda Eco-Label di atas barangan
a licence to use the Eco-Label Mark on**

COATED FLAT STEEL PRODUCTS

Please refer to detail in the SCHEDULE

**sebagai mematuhi keperluan
as complying with**

SIRIM CRITERIA 032 : 2011



**Mohd Azanuddin bin Salleh
Pengarah Urusan
Managing Director
SIRIM QAS International Sdn. Bhd.**

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 60-3-55446400
Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysian-certified.my>

Tarikh Mula Pensijilan : 19 October 2016

Certified Since

Sah Sehingga : 19 October 2018

Valid Until

Tarikh Dikeluarkan : 31 October 2016

Issue Date

No Siri : 026964

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

FIW STEEL SDN. BHD.



**SIRIM
ECO-LABEL**

Brand Model	: GalMaxx, GalMaxx Premium, GalMaxx Eco : Structural Grade: G250, G300, G350, G450 Hot-Dip Zinc-Coated: 99% Zn, 1% Al Coating Class: Z100, Z200, Z275, Z350, Z450
Size	: Base Metal Thickness (mm): 0.25 - 1.55 Maximum Width (mm): 1250
Brand Model	: GalMaxx, GalMaxx Premium, GalMaxx Eco : Structural Grade: G500 Hot-Dip Zinc-Coated: 99% Zn, 1% Al Coating Class: Z100, Z200, Z275, Z350, Z450
Size	: Base Metal Thickness (mm): 0.176 - 1.55 Maximum Width (mm): 1250
Brand Model	: GalMaxx, GalMaxx Premium, GalMaxx Eco : Structural Grade: G550 Hot-Dip Zinc-Coated: 99% Zn, 1% Al Coating Class: Z100, Z200, Z275, Z350, Z450
Size	: Base Metal Thickness (mm): 0.13 - 1.55 Maximum Width (mm): 1250
Brand Model	: GalMaxx, GalMaxx Premium, GalMaxx Eco : Structural Grade: G1 Hot-Dip Zinc-Coated: 99% Zn, 1% Al Coating Class: Z100, Z200, Z275, Z350, Z450
Size	: Base Metal Thickness (mm): 0.23 - 1.55 Maximum Width (mm): 1250
Brand Model	: GalMaxx Alpha : Structural Grade: G250, G300, G350, G450 Hot-Dip Zinc-Al Coated: 95% Zn, 5% Al Coating Class: ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450
Size	: Base Metal Thickness (mm): 0.25 - 1.55 Maximum Width (mm): 1250
Brand Model	: GalMaxx Alpha : Structural Grade: G500 Hot-Dip Zinc-Al Coated: 95% Zn, 5% Al Coating Class: ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450
Size	: Base Metal Thickness (mm): 0.176 - 1.55 Maximum Width (mm): 1250

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Sekayen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 60-3-55446400
Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malaysian-certified.my>

Tarikh Mula Pensijilan : 19 October 2016

Certified Since

Sah Sehingga : 19 October 2018

Valid Until

Tarikh Dikeluarkan : 31 October 2016

Issue Date

No Siri : 026964

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.

This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

FIW STEEL SDN. BHD.



Brand : GalMaxx Alpha
Model : Structural Grade: G550
Hot-Dip Zinc-Al Coated: 95% Zn, 5% Al
Coating Class: ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450
Size : Base Metal Thickness (mm): 0.13 - 1.55
Maximum Width (mm): 1250

Brand : GalMaxx Alpha
Model : Structural Grade: G1
Hot-Dip Zinc-Al Coated: 95% Zn, 5% Al
Coating Class: ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450
Size : Base Metal Thickness (mm): 0.23 - 1.55
Maximum Width (mm): 1250

Brand : ColourMaxx
Model : Structural Grade: G1, G250, G300, G350, G450, G500, G550
Pre-Painted Hot-Dip Zinc-Coated: 99% Zn, 1% Al
Coating Class: Z100, Z200, Z275, Z350, Z450
Model Series: ColourMaxx Alpha
Size : Base Metal Thickness (mm): 0.13 - 1.55
Maximum Width (mm): 1250

Brand : ColourMaxx
Model : Structural Grade: G1, G250, G300, G350, G450, G500, G550
Pre-Painted Hot-Dip Zinc-Al Coated: 95% Zn, 5% Al
Coating Class: ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450
Model Series: ColourMaxx Alpha
Size : Base Metal Thickness (mm): 0.13 - 1.55
Maximum Width (mm): 1250

Eco-Labeling Claim :

End of page
