

## LESEN PENSIJILAN EKO-LABEL

### *Eco-Label Licence*



SIRIM  
ECO-LABEL

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada  
SIRIM QAS International Sdn. Bhd. hereby grants to**

**FIW STEEL SDN. BHD.  
NO. 3 JALAN KELULI SATU  
KAWASAN PERINDUSTRIAN BUKIT RAJA SELATAN  
40000 SHAH ALAM  
SELANGOR, MALAYSIA**

**Lesen untuk menggunakan Tanda Eco-Label di atas barangan  
a licence to use the Eco-Label Mark on**

**COATED FLAT STEEL PRODUCTS**

**Please refer to detail in the SCHEDULE**

**sebagai mematuhi keperluan  
as complying with**

**SIRIM CRITERIA 032 : 2011**



**Mohd Azanuddin bin Salleh  
Pengarah Urusan  
Managing Director  
SIRIM QAS International Sdn. Bhd.**

**SIRIM QAS International Sdn. Bhd.**  
(No. Syarikat 410334-X)  
1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 60-3-55446400  
Faks : 60-3-55446466

<http://www.sirim.my>  
<http://www.malaysian-certified.my>

**Tarikh Mula Pensijilan : 19 October 2016**

**Certified Since**

**Sah Sehingga : 19 October 2020**

**Valid Until**

**Tarikh Dikeluarkan : 17 August 2018**

**Issue Date**

**No Siri : 040526**

**Serial No**

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*

## SCHEDULE

### FIW STEEL SDN. BHD.



**SIRIM  
ECO-LABEL**

**Trade Mark :** GalMaxx, GalMaxx Premium, GalMaxx Eco  
**Model :** Structural Grade: G250, G300, G350, G450  
 Hot-Dip Zinc-Coated: 99% Zn, 1% Al  
 Coating Class: Z100, Z200, Z275, Z350, Z450  
**Size :** Base Metal Thickness (mm): 0.25 - 1.55  
 Maximum Width (mm): 1250

**Trade Mark :** GalMaxx, GalMaxx Premium, GalMaxx Eco  
**Model :** Structural Grade: G500  
 Hot-Dip Zinc-Coated: 99% Zn, 1% Al  
 Coating Class: Z100, Z200, Z275, Z350, Z450  
**Size :** Base Metal Thickness (mm): 0.176 - 1.55  
 Maximum Width (mm): 1250

**Trade Mark :** GalMaxx, GalMaxx Premium, GalMaxx Eco  
**Model :** Structural Grade: G550  
 Hot-Dip Zinc-Coated: 99% Zn, 1% Al  
 Coating Class: Z100, Z200, Z275, Z350, Z450  
**Size :** Base Metal Thickness (mm): 0.13 - 1.55  
 Maximum Width (mm): 1250

**Trade Mark :** GalMaxx, GalMaxx Premium, GalMaxx Eco  
**Model :** Structural Grade: G1  
 Hot-Dip Zinc-Coated: 99% Zn, 1% Al  
 Coating Class: Z100, Z200, Z275, Z350, Z450  
**Size :** Base Metal Thickness (mm): 0.23 - 1.55  
 Maximum Width (mm): 1250

**Trade Mark :** GalMaxx Alpha  
**Model :** Structural Grade: G250, G300, G350, G450  
 Hot-Dip Zinc-Al Coated: 95% Zn, 5% Al  
 Coating Class: ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450  
**Size :** Base Metal Thickness (mm): 0.25 - 1.55  
 Maximum Width (mm): 1250

**Trade Mark :** GalMaxx Alpha  
**Model :** Structural Grade: G500  
 Hot-Dip Zinc-Al Coated: 95% Zn, 5% Al  
 Coating Class: ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450  
**Size :** Base Metal Thickness (mm): 0.176 - 1.55  
 Maximum Width (mm): 1250

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 410334-X)  
 1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 60-3-55446400  
 Faks : 60-3-55446466

<http://www.sirim.my>  
<http://www.malaysian-certified.my>

**Tarikh Mula Pensijilan :** 19 October 2016

**Certified Since**

**Sah Sehingga :** 19 October 2020

**Valid Until**

**Tarikh Dikeluarkan :** 17 August 2018

**Issue Date**

**No Siri :** 040526

**Serial No**

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

## SCHEDULE

### FIW STEEL SDN. BHD.



Trade Mark : GalMaxx Alpha  
Model : Structural Grade: G550  
Hot-Dip Zinc-Al Coated: 95% Zn, 5% Al  
Coating Class: ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450  
Size : Base Metal Thickness (mm): 0.13 - 1.55  
Maximum Width (mm): 1250

Trade Mark : GalMaxx Alpha  
Model : Structural Grade: G1  
Hot-Dip Zinc-Al Coated: 95% Zn, 5% Al  
Coating Class: ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450  
Size : Base Metal Thickness (mm): 0.23 - 1.55  
Maximum Width (mm): 1250

Trade Mark : ColourMaxx  
Model : Structural Grade: G1, G250, G300, G350, G450, G500, G550  
Pre-Painted Hot-Dip Zinc-Coated: 99% Zn, 1% Al  
Coating Class: Z100, Z200, Z275, Z350, Z450  
Model Series: ColourMaxx Alpha  
Size : Base Metal Thickness (mm): 0.13 - 1.55  
Maximum Width (mm): 1250

Trade Mark : ColourMaxx  
Model : Structural Grade: G1, G250, G300, G350, G450, G500, G550  
Pre-Painted Hot-Dip Zinc-Al Coated: 95% Zn, 5% Al  
Coating Class: ZA90, ZA135, ZA180, ZA225, ZA275, ZA350, ZA450  
Model Series: ColourMaxx Alpha  
Size : Base Metal Thickness (mm): 0.13 - 1.55  
Maximum Width (mm): 1250

Eco-Labeling Claim :

---

*End of page*